


# ACTION PLAN FOR Allergic Reactions

Name: \_\_\_\_\_

Date of birth: \_\_\_\_\_



Confirmed allergens:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Family/emergency contact name(s):  
 \_\_\_\_\_  
 \_\_\_\_\_

Work Ph: \_\_\_\_\_

Home Ph: \_\_\_\_\_

Mobile Ph: \_\_\_\_\_

Plan prepared by:

Dr \_\_\_\_\_

Signed \_\_\_\_\_

Date \_\_\_\_\_

**Note:** The ASCIA Action Plan for Allergic Reactions is for people with mild to moderate allergies, who need to avoid certain allergens. For people with severe allergies (and at risk of anaphylaxis) there are ASCIA Action Plans for Anaphylaxis, which include adrenaline autoinjector instructions.

## MILD TO MODERATE ALLERGIC REACTION

- swelling of lips, face, eyes
- hives or welts
- tingling mouth
- abdominal pain, vomiting (these are signs of a severe allergic reaction to insects)

### ACTION

- **For insect allergy, flick out sting if visible. Do not remove ticks**
- Stay with person and call for help
- Give medications (if prescribed) .....  
 dose: .....
- Contact family/emergency contact



**Watch for any one of the following signs of Anaphylaxis**

## ANAPHYLAXIS (SEVERE ALLERGIC REACTION)

- difficult/noisy breathing
- swelling of tongue
- swelling/tightness in throat
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- pale and floppy (young children)

### ACTION

- 1 Lay person flat, do not stand or walk. If breathing is difficult, allow to sit**
- 2 Phone ambulance - 000 (AU), 111 (NZ), 112 (mobile)**
- 3 Contact family/emergency contact**

Additional information  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_